


2020 Connecticut Broadleaf Variety Evaluation

Variety Evaluation

UKREC, Princeton KY

N: 175 lbs N/A (75 PRE; 100 Sidedress)
Transplanted June 8
Harvested 2 wk after topping

LSD(0.10) = 139 260 46 219 (total)
 Trash
 Filler
 Wrapper



LSD(0.10) for % wrapper = 3

Mean total yield for trial = 1672 lbs/A; mean % wrapper = 2.1%

2020 Connecticut Broadleaf

Fungicide Trial


UKREC, Princeton KY

Variety: SPX
 N: 175 lbs N/A (75 PRE; 100 Sidedress)
 Transplanted June 8
 Harvested 2 wk after topping

LSD(0.10) = 163 159 86
 Trash Filler Wrapper

254 (total)

Total Yield (lbs/A):



% Wrapper: 0.2 3 9 13

LSD(0.10) for % wrapper = 4

Mean total yield for trial = 1512 lbs/A; mean % wrapper = 6.3%

2020 Connecticut Broadleaf Nitrogen Rate Trial


UKREC, Princeton KY

Variety: SPX
Transplanted June 8
Harvested 2 wk after topping

LSD(0.10) = 210 170 22
■ Trash ■ Filler ■ Wrapper

177 (total)

Total Yield (lbs/A):



75 100 125 150 175 200 225
 N rate (lbs N/A, 75 lb N PRE, remainder sidedressed at 2 wk)

% Wrapper: 0.1 0.6 0.8 0.9 2 0 1
 LSD(0.10) for % wrapper = 2

Mean total yield for trial = 1421 lbs/A; mean % wrapper = 0.8%

2020 Connecticut Broadleaf

Curing Trial – Effect of Added Heat During Curing

UKREC, Princeton KY

Variety: SPX
N: 175 lbs N/A (75 PRE; 100 Sidedress)
Transplanted June 8
Harvested 2 wk after topping

