

Evaluation of Ridomil Additives to Improve Black Shank Control in Dark-Fired Tobacco

2014 – Kent Boyd Farm – Hopkinsville KY

- Strong BS races 0 and 1 at site.
- PD7309LC set June 23
 - Level 10 to race 0
 - No resistance to race 1
 - 42" x 32" = 4667 plants/A
- Pretransplant broadcast app. made June 23 at 15 gal/A
- 1st cultivation applications made July 8 as 15" bands to each side of all 4 rows (20 gal/A)
- Layby applications made July 23 as 15" bands to each side of all 4 rows (20 gal/A)

Trt	Treatment	Rate/A	Timing
1	Untreated	-	-
2	Ridomil Gold	1 pt/A	PreTP
	Ridomil Gold	1 pt/A	1 st Cult
	Ridomil Gold	1 pt/A	Layby
3	Ridomil Gold + HM0303	1 pt/A + 1 qt/A	PreTP
	Ridomil Gold + HM0303	1 pt/A + 1 qt/A	1 st Cult
	Ridomil Gold + HM0303	1 pt/A + 1 qt/A	Layby
4	Ridomil Gold + HM 1028	1 pt/A + 1 qt/A	PreTP
	Ridomil Gold + HM1028	1 pt/A + 1 qt/A	1 st Cult
	Ridomil Gold + HM1028	1 pt/A + 1 qt/A	Layby

Evaluation of Ridomil Additives to Improve Black Shank Control in Dark-Fired Tobacco

2014 – Kent Boyd Farm – Hopkinsville KY

LSD(0.10) = 170 1276 1378 (total)
 ■ Lug ■ Leaf

